

The CJV150 series delivers...

High-quality printing and sharp, accurate cutting for fresh, brilliant ideas and hundreds of different applications.



For simple stickers and labels

The small-footprint CJV150-75 is perfect or stickers, labels and PoS materials.





For larger signage and PoS marketing naterials

ne wider but modestly sized C₂IV150-130 provides even more flexibility.



For banners and large-size posters

The CJV150-107 delivers a quick output with high quality print. Ideal for pop-up banners and large posters



For cost effective production of large, high-quality signage and vehicle wrapping films

he CJV150-160 has the videst working width in the range, and satisfies a wide variety of production demands.

The multiple functions of the CJV150 models ensure high-quality printing and highaccuracy cutting enabling the production of labels, stickers and vehicle wraps with ease.

Continuous-register mark-detection function enables continuous media cutting.

The CJV150 automatically detects all register marks set by RasterLink6 on the media, and cuts contour lines precisely by utilising simultaneous automatic calibration.



Print and cut on no-register mark media / Cut and print function

Media up to 1m in length does not require register marks, reducing media wastage.

Segment correction function facilitates precision cutting over longer-length prints.

This function detects intermediate register marks and enables four-point corrections for each segment to ensure accurate contour cutting over longer-length prints, even if the

Over-cut and corner-cut functions ensure clearly cut edges with no residues.

The over-cut function ensures sharply cut edges with no residues by making a cross cut at the start and end positions of the contour cutting. The corner-cut function ensures sharply cut edges by making cross cuts at each corner.



Clamp-pressure automatic-switching function enables continuous operation.

The pressure of the media clamps is automatically optimised for printing and cutting. No pressure adjustment by the operator is required during continuous operation

"Cut and Print" function improves the workability of thin materials.

This function prevents common problems, such as film separation and faulty cut results. by cutting the media before printing.

Versatile cutting methods satisfy a range of market demands.

"Half-cut" produces a series of half and die cuts, leaving a few connection points that retain the printed image on the medium. "Die cut" completely cuts the printed image from the medium. "Perforation cut" is useful for clipping images from the medium, used as crease lines.

Raster Link 5

Intuitive and user-friendly operation



1. Easy to follow icons enable intuitive and

Specifications

Sophisticated RIP Software maximizes performance

simplify RIP operations with 'Register as Favourite' option available for regularly used layouts

e.g. Colour → White → Colour

Web update function is supported

This facility enables easy program updates and profile downloading to be performed via the internet.

Supplies

		CJV150-75	CJV150-107	CJV150-130	CJV150-160	Item	Colour			
	head	On-demand piezo head					Cyan	SPC-0440C		
	resolution	360dpi, 540dpi, 720dpi, 1,080dpi, 1,440dpi					Magenta	SPC-0440M		
Maximum print width Maximum media width		800mm 810mm	1,090mm 1,100mm	1,361mm 1.371mm	1,610mm 1.620mm		Yellow	SPC-0440Y		
Ida	Type/Colour	Solvent ink ES3 (C, M, Y, K, Lc, Lm) - SS21 (C, M, Y, K, Lc, Lm, Lk, Or, W, Si) - BS3 / BS4 (C, M, Y, K)				ES3	Black	SPC-0440K	440ml Ink cartridge	
							Light Cyan	SPC-0440LC		
		ESS (C, W, T, K, LC,	Light Magenta	SPC-0440LM						
'		Water-based sublimation ink Sb53 (Bl, M, Y, K, DK, Lb, Lm) - Sb54 (Bl, M, Y, K)					Cyan	SPC-0501C		
nk :			Magenta	SPC-0501M						
	Package size		Yellow	SPC-0501Y						
		SS21: 440n	Black	SPC-0501K						
			Light Cyan	SPC-0501LC						
			Light Magenta	SPC-0501LM						
	Circulation system	MCT (Mimaki	Circulation Technology)	nology) Only applies to white and silver inks			Orange	SPC-05010r		
ledia thickness			SS21	Light Black	SPC-0501Lk					
olled media weight				White	SPC-0504W-2	220ml lnk cartridge				
				Silver	SPC-0504Si	220ml lnk cartridge				
erti	fications	CE Ma	arking (EMC, Low voltage RoHS / REACH and	, and Machinery directive) / CB		Cyan	SPC-0588C		
atorf	inna						Magenta	SPC-0588M		
nterface Yower supply		USB 2.0, for E-mail notification function Single-phase (AC 100–20V / AC 220–240V)				Yellow	SPC-0588Y			
	er consumption	10	100V: 1.44 kVA × 1 or less, 200V: 1.92 kVA × 1 or less				Black	SPC-0588K	0.000	
	ational environment	Temperature	e: 20–30 C (59–86 F), Humidity: 35–65% Rh (Non condensing)				Light Cyan	SPC-0588LC	2,000ml lnk pack	
lima	nsions (W × D × H)	1,965 × 700 ×	2,255 × 700 ×	2,525 × 700 ×	2,775 × 700 ×	nsing) Light Cyan SPC-0588LC 2,775 x 700 x Light Magenta SPC-0588LM				
mile	IIISIUIIS (VV X D X III)	1,392mm	1,392mm	1,392mm	1,392mm		Orange SPC-05		1	
/eight		126kg	142kg	157kg	168kg		Light Black	SPC-0588Lk		

*1: White and silver are provided in 220ml Ink cartridge only *2: Optional MBIS (Mimaki Bulk Ink System3) is required for using 2L Ink pack

Item	Colour	600ml Ink pack	2,000ml Ink pack	
	Cyan	SPC-0667C	SPC-0693C	
BS3	Magenta	SPC-0667M	SPC-0693M	
	Yellow	SPC-0667Y	SPC-0693Y	
	Black	SPC-0667K	SPC-0693K	
	Cyan	BS4-C-60	BS4-C-2L	
BS4	Magenta	BS4-M-60	BS4-M-2L	
D34	Yellow	BS4-Y-60	BS4-Y-2L	
	Black	BS4-K-60	BS4-K-2L	

Item	Colour	440ml Ink cartridge	2,000ml Ink pack	
	Blue	SB53-BL-44	SB53-BL-2L	
Sb53	Magenta	SB53-M-44	SB53-M-2L	
	Yellow	SB53-Y-44	SB53-Y-2L	
	Black	SB53-K-44	SB53-K-2L	
	Deep Black	SB53-DK-44	SB53-DK-2L	
	Light Blue	SB53-LBL-44	SB53-LBL-2L	
	Light Magenta	SB53-LM-44	SB53-LM-2L	
	Blue		SB54-BLT-2L	
Sb54	Magenta	1 / 1	SB54-MT-2L	
	Yellow] /	SB54-YT-2L	
	Black		SB54-KT-2L	


Some of the samples in this folder are artificial renderings
 Specifications, design and dimensions stated in this folder may be subject to change without notice (for technical improvements, etc.)



www.mimakieurope.com info@mimakieurope.com [] @MimakiEurope







Affordable, integrated printer/cutter...



[•] The corporate and merchandes names written on this folder are the trademark of the respective corporations • Inkjet printers print using extreme fine dots, so colours may after replacement of the printing heads, also note that if using multiple printer units, colours could vary slightly from one unit to other unit due to slight individual differences • Compositor's errors reserved.



Mimaki

ENGINEERING EXCELLENCE AND CREATIVE INNOVATION

Founded in Japan in 1975, Mimaki Engineering has steadily grown by reputation and influence into a global company with large operational bases in Asia and the Pacific, United States and Europe.

ndustrial markets. In addition, Mimaki also provides hardware, software and associated consumable items, such as inks and cutting blades.

decoration and furnishing, from packaging and

· · · Mimaki delivers

Affordable, high-spec, high-performance, integrated printer/cutter

CJV150 Series integrated printer/cutter from Mimaki provides high performance, creativity and versatility with vibrant ink types, including new Silver, Orange and Light Black, in a cost effective package for signmakers, display graphics professionals and printshops.

CJV150 series delivers ...

- Fast printing speeds up to 56.2m² per hour
- High quality print resolution of up to 1,440dpi
- Four different printing widths: 800mm, 1,090mm, 1,361mm and 1,610mm
- Choice of multiple eco-solvent and dye sub ink sets:
 - 10-colour options (SS21) featuring; Silver, Orange, Light Black & White inks
 - Vibrant 4- or 6-colour dye sub options (Sb53/Sb54)
- Nozzle Check Unit (NCU) and Nozzle Recovery System (NRS) ensure continuous print operations
- UISS and optional MBIS on board 2 litre bulk ink system
- 3-way intelligent heater





Create ··· Metallic stickers, Decals, Die-cut labels, Signage, Vehicle graphics, Banners, Posters, PoS, Back-lit & Exhibition graphics, Garment marking, Canvas prints and much more...


Productivity maintenance - NRS*

The NRS substitutes defective nozzles with non-defective nozzles until the technician arrives. This feature enables ninterrupted print operations and continuous productivity.




Prevention, print quality problems - NCU*

The CJV150 is equipped with Mimaki's original automatic NCU. Clogged nozzles are automatically detected and cleaned by the NCU. If the clogging is not resolved by cleaning, the CJV150 automatically sets the nozzle recovery function NRS and resumes printing. These functions significantly reduce the waste printing caused by clogged nozzles during a continuous printing run.



Stable printing using the ink circulation system - MCT*

MCT is a standard feature included to effectively avoid the settling of white and silver pigments in the ink lines by regularly circulating the ink. It prevents print troubles and enables stable output from the start of operation. In addition



MCT contributes to reduction of ink waste thereby supporting environmentally and

silver inks. MCT = Mimaki Circulation

Uninterrupted Ink Supply System (UISS)


Utilises two cartridges per colour in 4-colour mode. When one cartridge runs out of ink the system switches automatically to the second cartridge of the same colour, enabling long



3-Way intelligent heater A 3-way intelligent heater fixes droplets placed on media

By using Mimaki's original technology in heating the media at a controlled temperature, ink can be fixed while maintaining high colour development and high image quality. Thus the CJV150 provides both steady colour development and easy handling after printing.

- Pre-heater: Heats media to the optimum temperatur before printing.
- Print heater: Dries ink after it lands on media before it bleeds, improving colour development.
- Post-heater: Enhances ink drying and achieves
- Top blower: Air blower supports drying of ink



The light black ink improves the printed grayscale gradation. It also faithfully represents monochrome data


KEY TECHNICAL FEATURES · · ·





(Mimaki Advanced Pass System)

Waveform Control Technology Ensures high quality print resolution, by jetting ink drops in straight lines with almost perfect round dots, delivering clear and sharp letters, lines and edges



Large ink dot size in high speed mode

Delivers high density print by removing the gap

Newly developed SS21 silver ink is available. Being 1.67* times By using the orange ink as a process colour, 94.8% of the

brighter than conventional silver inks, SS21 ink adds brilliant and beautiful mirror effects to print results



Silver colour added to catch copies silver ink varies as per the viewing and logos strikes a profound mpression on the viewers, which angle. Such a high level of brightness akes silver printing very appealing

Orange Ink (Faithful colour reproduction) Light Black Ink (greater definition)

PANTONE colour chart is covered with approximate colours. Thanks to a wider gamut with the orange ink, food freshness can be without introducing unexpected colour shifts. Light black







